## We claim:

- A process for anisotropically dry etching of an organic antireflection layer, which comprises etching the organic antireflection layer with an etching gas composition primarily containing hydrogen and nitrogen.
- 2. The process according to claim 1, which comprises etching the organic antireflection layer with an etching gas composition consisting essentially of hydrogen and nitrogen.
- 3. The process according to claim 1, which comprises using hydrogen and nitrogen in a ratio of 1:1.
- 4. The process according to claim 1, which comprises etching with an etching gas composition containing at least 80% hydrogen and nitrogen as reactive etching gases.
- 5. The process according to claim 4, wherein the etching gas composition contains, as reactive etching gases, only hydrogen and nitrogen.
- 6. The process according to claim 1, which comprises etching with an etching gas composition containing additives for improving etching gas properties in the dry etching process.

- 7. The process according to claim 1, which comprises using a photoresist layer as an etching mask for the organic antireflection layer, and setting the etching gas composition such that a vertical removal of the photoresist corresponds at most to an etching rate of the organic antireflection layer.
- 8. The process according to claim 1, which comprises setting the following process parameters for the reactive ion etching of the organic antireflection layer:

pressure of the etching gases in a range between 2.67 and 26.67 Pa; and

flow of the etching gases in a range between 0.17 and 1.67  $10^{-6}~\text{m}^3~\text{sec}^{-1}.$ 

- 9. The process according to claim 8, which comprises exposing an etching object to a magnetic field strength from 0 to 120 Gauss and processing the object with magnetic field-assisted reactive ion etching.
- 10. The process according to claim 1, which comprises etching the organic antireflection layer with a plasma from a source selected from the group consisting of an electron cyclone resonance plasma source, an inductively coupled plasma, or a Helicon source.